



Certificate of Treatment

Douglas Fir Pressure-treated Timbers

Treater's Information:

Scott Post & Tie
11060 Highway 60
West Poplar Bluff, MO

Phone: 573-714-1115
Contact: Mike Hite

We hereby certify that the following material supplied by us has been treated with Creosote to attain a Net Retention of 8 pounds of preservative per cubic foot in the assay zone using the Empty cell Process, all in accordance with the AWPA UC3B specifications.

Tally	
Dimensions (in. x in. x ft)	Quantity
12" x 12" x 28'	12
12" x 12" x 18'	15
3" x 12" x 24'	27
12" x 12" x 24'	12

Signed

Operations Manager



Certificate of Treatment
Douglas Fir Pressure-treated Timbers

Treater's Information:

Scott Post & Tie
11060 Highway 60
West Poplar Bluff, MO

Phone: 573-714-1115
Contact: Mike Hite

We hereby certify that the following material supplied by us has been treated with Creosote to attain a Net Retention of 8 pounds of preservative per cubic foot in the assay zone using the Empty cell Process, all in accordance with the AWPA UC3B specifications.

Tally	
Dimensions (in. x in. x ft)	Quantity
12" x 12" x 18'	4
12" x 12" x 24'	4
12" x 12" x 28'	1
3" x 12" x 24'	45

Signed 
Operations Manager



Certificate of Treatment

Douglas Fir Pressure-treated Timbers

AmeriTies South LLC
4359 Hwy 278W
Hope, AR
71801
Phone: 870-722-6222

We hereby certify that the following material supplied by us has been treated with Creosote to attain a Net Retention of 8 pounds of preservative per cubic foot in the assay zone using the Empty cell Process, all in accordance with the AWWA UC3B specifications.

Tally	
Dimensions (in. x in. x ft)	Quantity
12"x 12"	13/16'
3" x 12"	5/18', 48/22'
6" x 8"	24/22'
6" x 12"	14/24', 52/26'
12" x 14"	16/26', 8/28', 16/30'

Signed *Paul Dizon* 18/07/2023
Operations Manager



Certificate of Treatment

Douglas Fir Pressure-treated Timbers

AmeriTies South LLC
4359 Hwy 278W
Hope, AR
71801
Phone: 870-722-6222

We hereby certify that the following material supplied by us has been treated with Creosote to attain a Net Retention of 8 pounds of preservative per cubic foot in the assay zone using the Empty cell Process, all in accordance with the AWPA UC3B specifications.

Tally	
Dimensions (in. x in. x ft)	Quantity
12"x12"	15/18', 12/24', 12/28' - PCS
3"x 12"	27/24' - PCS
6" x 12"	29/24', 20/26' - PCS
12" x 14"	8/28', 16/30' - PCS
4" x 12"	48/26' - PCS

Signed *Daniel D. Dijkster* 23/09/2023
Operations Manager



Certificate of Treatment

Douglas Fir Pressure-treated Timbers

AmeriTies South LLC
4359 Hwy 278W
Hope, AR
71801
Phone: 870-722-6222

We hereby certify that the following material supplied by us has been treated with Creosote to attain a Net Retention of 8 pounds of preservative per cubic foot in the assay zone using the Empty cell Process, all in accordance with the AWPA UC3B specifications.

Tally	
Dimensions (in. x in. x ft)	Quantity
12"x 12"	16/14', 24/24'
12"x 14"	12/8.5', 16/18', 16/20'
6" x 16"	16/20'

Signed  12/10/2023.
Operations Manager



Certificate of Treatment

Douglas Fir Pressure-treated Timbers

AmeriTies South LLC
4359 Hwy 278W
Hope, AR
71801
Phone: 870-722-6222

We hereby certify that the following material supplied by us has been treated with Creosote to attain a Net Retention of 8 pounds of preservative per cubic foot in the assay zone using the Empty cell Process, all in accordance with the AWWA UC3B specifications.

Tally	
Dimensions (in. x in. x ft)	Quantity
3"x 12"	43/18', 72/20'
6"x 8"	24/28'
6"x 12"	5/24'
6"x 16"	8/20'
12"x 12"	3/16', 16/26'
12"x 14"	12/12', 24/15', 16/24', 16/25'

Signed 
Operations Manager 07/11/2023